

# MSDS

**PRODUCT NAME: Cuccio Colour Veneer- PREP**

**Preparation Date: 01/02/2014**

This form is regarded to be in compliance with 29 CFR Part 1910.1200

## SECTION 1 : IDENTIFICATION

PRODUCT NAME: Cuccio Colour Veneer- PREP

Product Use: Nail Preparation

Manufacturer's Name : Star Nail International, Inc. Chemical Family : Solvent  
Address : 29120 Avenue Paine Proprietary Mix  
City, State, Zip : Valencia, CA 91355 CAS# 141-78-6 / 99-97-8

24 HR. EMERGENCY TELEPHONE: CHEMTEL 1-800-255-3924

## SECTION 2: HAZARDS IDENTIFICATION

### HAZARD DESIGNATION

"F" - Highly flammable

"Xi" - Irritant

### EMERGENCY OVERVIEW

**PHYSICAL APPEARANCE:** Clear, transparent liquid with strong fruity odor.

**IMMEDIATE CONCERNS:** Highly Flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapors may cause drowsiness and dizziness.

### POTENTIAL HEALTH EFFECTS

**EYES: R36:** Irritating to eyes.

**SKIN: R66:** Repeated exposure may cause skin dryness and cracking.

**INGESTION:** May cause headache, drowsiness and possible unconsciousness.

**INHALATION:** Vapors may cause drowsiness and dizziness.

### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**ACUTE TOXICITY:** Vapors may be irritating to eyes, throat and mucous membranes; ingestion may cause headache, drowsiness and possible unconsciousness.

**WARNING CAUTION LABELS:** Keep out of Reach of Children.

**PHYSICAL HAZARDS: R11:** Highly Flammable.



## SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS #	EINECS	Classification
Ethyl Acetate	90 - 100	141-78-6	205-500-4	Xi, F; R11, R36, R66, R67
Dimethyltolylamine	0 - 0.02	99-97-8	202-805-4	T; R33, R23/24/25, R52/53

## SECTION 4 : FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** S46: If swallowed, seek medical advice immediately and show this container or label.

**INHALATION:** Remove to fresh air. Get medical attention if breathing is difficult.

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

**MSDS****PRODUCT NAME: Cuccio Colour Veneer- PREP****Preparation Date: 01/02/2014****SECTION 5 : FIRE FIGHTING MEASURES**

FLASHPOINT AND METHOD: 1.11°C (30°F) TCC

FLAMMABLE LIMITS: 2 to 11.4

GENERAL HAZARD: R11: Highly Flammable.

EXTINGUISHING MEDIA: Use dry chemical, foam or carbon dioxide.

EXPLOSION HAZARDS: Vapors can travel to a source of ignition and flash back.

FIRE FIGHTING PROCEDURES: Avoid using large quantities of water.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide or carbon dioxide.

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

LARGE SPILL: Dike area to contain spill. Take precautions as necessary to prevent contamination of ground and surface waters. Recover spilled material on adsorbent, such as sawdust or vermiculite, and sweep into closed containers for disposal. After all visible traces, including ignitable vapors, have been removed thoroughly wet vacuum the area. Do not flush to sewer. If area of spill is porous, remove as much contaminated earth and gravel, etc. as necessary and place in closed containers for disposal.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: This product is readily biodegradable. Do not release into surface waters.

**SECTION 7 : HANDLING AND STORAGE**

GENERAL PROCEDURES: Avoid breathing of vapors. Use only in well ventilated areas. When handling, do not eat, drink or smoke.

HANDLING: S51: Use only in well-ventilated areas.

STORAGE: S3/9: Keep in a cool, well ventilated place and Keep away from sources of ignition.

**SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE GUIDELINES****OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)**

Chemical Name	EXPOSURE LIMITS						
	TWA	OSHA PEL		ACGIH TLV		Supplier OEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Ethyl Acetate	400	ppm	NL	400	ppm	NL	NL
	STEL	NL	NL	NL	NL	NL	NL

**PERSONAL PROTECTIVE EQUIPMENT**

EYES AND FACE: Avoid contact with eyes.

SKIN: S37: Wear suitable gloves.

RESPIRATORY: S51: Use only in well-ventilated areas.

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

---

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

---

PHYSICAL STATE: Liquid  
ODOR: Strong fruity odor.  
COLOR: Clear, transparent.  
VAPOR PRESSURE: 73 mmHg at 200°C (392°F)  
VAPOR DENSITY: 3 (Air=1)  
BOILING POINT: 770°C (1710°F)  
MELTING POINT: Not Established  
FLASHPOINT AND METHOD: 1.11°C (30°F) TCC  
SOLUBILITY IN WATER: Slightly soluble.  
EVAPORATION RATE: 4.5 (n-Butyl Acetate=1)  
SPECIFIC GRAVITY: 0.900 (water=1)  
VISCOSITY #1: < 5 Centipoise

---

**SECTION 10: STABILITY AND REACTIVITY**

---

STABLE: Yes  
HAZARDOUS POLYMERIZATION: No  
CONDITIONS TO AVOID: Heat, sparks and flame.  
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, dioxide.  
INCOMPATIBLE MATERIALS: Strong oxidizing agents, acids and bases.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

---

EYE EFFECTS: Irritating to eyes.  
SKIN EFFECTS: Irritating to skin.

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

ENVIRONMENTAL DATA: This product is readily biodegradable. Do not release into surface waters.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

DISPOSAL METHOD: S56: Dispose of this material and its container to hazardous or special waste collection point.

---

**SECTION 14: TRANSPORT INFORMATION**

---

DOT (DEPARTMENT OF TRANSPORTATION)  
PROPER SHIPPING NAME: Consumer Commodity, ORM-D.  
AIR (ICAO/IATA)  
SHIPPING NAME: Ethyl Acetate  
UN/NA NUMBER: 1173  
PRIMARY HAZARD CLASS/DIVISION: 3  
PACKING GROUP: II  
NOTE: Consumer Commodity, ID 8000, 9, label Package Orientation (Arrows Up). Max per unit 25 KG.G.  
VESSEL (IMO/IMDG)

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

# MSDS

**PRODUCT NAME: Cuccio Colour Veneer- PREP**

**Preparation Date: 01/02/2014**

SHIPPING NAME: Ethyl Acetate

UN/NA NUMBER: 1173

PRIMARY HAZARD CLASS/DIVISION: 3.2

PACKING GROUP: II

---

## SECTION 15: REGULATORY INFORMATION

---

UNITED STATES

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt. %	CERCLA RQ
Ethyl Acetate	90 – 100	5000 lbs.
Chemical Name	CAS	TSCA SECTION
Ethyl Acetate	141-78-6	12b,
Dimethyltolylamine	99-97-8	

TSCA STATUS: All ingredients in this mixture are in compliance with TSCA.

EUROPEAN COMMUNITY:

EEC LABEL SYMBOL AND CLASSIFICATION

**"F" - Highly flammable**

**"Xi" – Irritant**



---

## SECTION 16: ADDITIONAL REGULATORY INFORMATION

---

RELEVANT R-PHRASES: R11: Highly flammable.

R36: Irritating to eyes.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapors may cause drowsiness and dizziness.

R33: Danger of cumulative effects.

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R52/53: Do not empty into drains.

**DISCLAIMER:** This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design and the appropriate protective mechanisms to prevent employee exposure, property damage or release to the environment. Star Nail International assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

**MSDS****PRODUCT NAME: Cuccio Colour Veneer- PREP****Preparation Date: 01/02/2014**-----  
**SECTION 17: OTHER INFORMATION**  
-----**HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS) RATING:**

HEALTH:	1
FLAMMABILITY:	3
REACTIVITY:	
PERSONAL PROTECTION EQUIPMENT:	Gloves and Safety Glasses

**NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION RATING:**

HEALTH:	1
FLAMMABILITY:	3
REACTIVITY:	0

**ABBREVIATIONS:**

NA	Not Applicable	ND	Not Determined
NE	Not Established		
pm	Part per million	G	Gallon
mg	Milligram	L	Liter
gm	Gram	mol	Mole
kg	Kilogram	u	Micro
Pa	Pascals	p	Pico
LC	Lethal Concentration	LD	Lethal Dose
TC	Toxic Concentration	TD	Toxic Dose
BOD	Biological Oxygen Demand	COD	Chemical Oxygen Demand
TLm	Threshold Limit		
DOC	Dissolved Organic Carbon		
H	Hours	M	Months
D	Days	Y	Years
W	Weeks		
ACGIH	American Conference of Governmental Industrial Hygienist		
CPR	Controlled Product's Regulation		
DSL	Canadian Domestic Substances List		
NDSL	Canadian Non-Domestic Substance List		
IARC	International Agency for Research for Cancer		
NOEL	No Observed Effect Level		
NOAEL	No Observed Adverse Effect Level		
OSHA	Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
TLV	Threshold Limit Value		

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.